

Message

From: Schulman, Michael [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=35D7024F00644B3D8B5DBA4940506834-SCHULMAN, M]
Sent: 5/10/2021 9:20:35 PM
To: Chan, Elaine [Chan.Elaine@epa.gov]
Subject: RE: Documents for TRW MICROWAVE, INC (BUILDING 825) / CAD009159088 / 0901181 - reply
Attachments: 1992-08-10 TRW Microwave deed restriction, 2119219.pdf; 2016-05-25 RWQCB TRW 825 Stewart Deed Restriction Status.pdf; 2016-05-25 TRW 825 Stewart Deed Restriction Status.pdf; 2020-07-09 TRW Microwave USEPA Meeting Presentation.pdf; 2019-12-24 TRW Microwave-Well Destruction Report-FINAL.pdf; Records Route Slip - TRW_UCTL.pdf

Hi Elaine,

A few more documents for the TRW website, can you add attached to SEMS and the website and the document in the table below to the website?

Document ID	Access Control	Document Date	Title	Page Count	Site
2119219	UCTL(Uncontrolled)	1992-08-10	Covenant & agreement to restrict use of property at 825 Stewart Drive, Sunnyvale, w/exhibits A - C	27	R09: SOUTH BAY BASIN / CAD980000004 / 0901712, R09: TRW MICROWAVE, INC (BUILDING 825) / CAD009159088 / 0901181
100003210	UCTL(Uncontrolled)	1991-09-11	Final Record of Decision	137	R09: TRW MICROWAVE, INC (BUILDING 825) / CAD009159088 / 0901181

Document Categories:

- Administrative Records [For the Final ROD]
- Land Use Controls [For the deed restrictions and LUC]
- Well Installation Document [for well destruction doc]
- Site Updates [USEPA Meeting Presentation - Current Site Status and Path Forward]

Thank you!
Michael

From: Chan, Elaine <Chan.Elaine@epa.gov>
Sent: Friday, April 30, 2021 4:24 PM
To: Schulman, Michael <Schulman.Michael@epa.gov>
Subject: RE: Update: Live Links to your request - reply - reply

Michael:

Per your request, here's the 3 docs under this new title:

Site Remediation: [Link](#)

Have a good weekend !

---Elaine

From: Schulman, Michael <Schulman.Michael@epa.gov>
Sent: Friday, April 30, 2021 8:54 AM
To: Chan, Elaine <Chan.Elaine@epa.gov>
Subject: RE: Update: Live Links to your request - reply

Thanks! The two docs can be added to the Other Technical Documents. Or if there is no issue, I'd create a new folder for Site Remediation and add all 3 docs in that (i.e, I'd not use the Other Technical Documents folder). But, I'm more a lumpner than a splitter, I think it is easier to find a lot of documents and in one folder and see the site history that way than hunting through multiple folders.

From: Chan, Elaine <Chan.Elaine@epa.gov>
Sent: Friday, April 30, 2021 8:47 AM
To: Schulman, Michael <Schulman.Michael@epa.gov>
Subject: RE: Update: Live Links to your request - reply

Michael:

It is my job so it is no trouble.

I moved the 3 out of the 5 docs to the Groundwater monitoring category. It is now 24 docs. 2 are already part of the Groundwater monitoring collection.

For the two new documents, do you want it part of the GW monitoring category ? Just wanted to reconfirm.

---Elaine

From: Schulman, Michael <Schulman.Michael@epa.gov>
Sent: Thursday, April 29, 2021 6:40 PM
To: Chan, Elaine <Chan.Elaine@epa.gov>
Subject: RE: Update: Live Links to your request

For Contact Us TRW MICROWAVE, INC can you move the 2017 Annual GWM report into the Groundwater Monitoring collection?

Reports and Documents

Note: Large collections may take longer to load.

- [Groundwater Monitoring \(21 documents\)](#)
- [Vapor Intrusion \(13 documents\)](#)
- [Five-Year Reviews \(5 documents\)](#)
- [Other Technical Documents \(1 documents\)](#)
- [Annual 2017 Groundwater Report \(5 documents\)](#)
- [Well Installation Documents \(4 documents\)](#)

Can you also add the two documents:

Document ID	Access Control	Document Date	Title	Page Count	Site
1151981	UCTL(Uncontrolled)	11/12/14	Workplan addendum for source area removal activities, former TRW Microwave site, 825 Stewart dr, Sunnyvale, w/TL to M Morash fr J Kwan	16	R09: TRW MICROWAVE, INC (BUILDING 825) / CAD009159088 / 0901181
1151980	UCTL(Uncontrolled)	11/11/14	Workplan for additional source area injection activities, former TRW Microwave site, 825 Stewart dr, Sunnyvale, w/appendices A-C & TL to M Morash fr J Kwan	46	R09: TRW MICROWAVE, INC (BUILDING 825) / CAD009159088 / 0901181

I hate to keep troubling you with this, if you want, you can let me know how to do this and I'll try linking to the website. Otherwise, many(!) thanks for helping me and doing this!

Thanks again,
Michael

From: Chan, Elaine <Chan.Elaine@epa.gov>
Sent: Thursday, April 29, 2021 3:09 PM
To: Schulman, Michael <Schulman.Michael@epa.gov>
Subject: Update: Live Links to your request

Michael:

TRW:
Five year reviews [Link](#)
Annual GW reports [LINK](#)
Vapor Intrusion [LINK](#)

Triple Site:
Five year review: [LINK](#)

AMD:
Five year review: [LINK](#)

Signetics:
Five year review: [LINK](#)

Elaine Chan
Cost Recovery Specialist
Project Officer for Contract # EP-W1-7011 TO#62
U.S. Environmental Protection Agency
CERCLA Enforcement Section
75 Hawthorne Street, Mail Code SFD-7-5
San Francisco, CA 94105
Office: (415) 972-3128

FY 2021 Interest Rate 0.10%
FY 2021 Indirect Rate is 68.49%

Links to Forms:
[Cost Recovery Checklist for Cost Summary only 2-18-2021](#)
[Cost Recovery Checklist](#)
[Route Slip](#)
[Transfer of Records Form On going](#)
[Document Request Form](#)
[Access Request Form](#)

Transfer of Records Request - Boxes
Work Request Form

Regional Records Center
U.S. Environmental Protection Agency
75 Hawthorne Street, Room 3110
San Francisco, CA 94105
General Phone : (415) 947-8717



United States Environmental Protection Agency



Be kind to the environment.

Please do not print this email unless necessary.